


D3211-1 DOUBLER
(MAKE FROM D3211-1F)
(D3211-1B SIMILAR, MAKE FROM D3211-1BF)

D3213-1/-1B NOTES:

- 1) MATERIAL: MAKE FROM D3211-1F OR D3211-1BF AS APPLICABLE
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
POWDER COAT "BLACK SANDEX" (4.3.5.7) PER DART QSI 005 4.3
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "DXXXX-X" AND B/N "BXXXXX" PER QSI 044 6.1
- 7) WEIGHT: 0.49 lbs

**PRELIMINARY
ISSUE** 11.06.07

PB1	FORMAT TO NEW STD; INCORP. REV. A1 AND DEO; ADDED D3211-1/-1BF. REASON: PAR11-109.	MB	11.06.06
A	NEW ISSUE	CP	03.09.03
REV.	DESCRIPTION	BY	DATE
DESIGN	97	DART AEROSPACE LTD	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. PB1
MFG. APPR.		D3211	SHEET 1 OF 3
APPROVED		TITLE	SCALE
DE APPR.		BRACKET	NTS
DATE	11.06.06	COPYRIGHT © 2003 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	




D3211-1F FLAT PATTERN

**PRELIMINARY
ISSUE** 11.06.07

D3211-1F NOTES:

- 1) MATERIAL: 2024-T3 ALUMINUM SHEET, 0.063 THICK, PER QQ-A-250/4
OR AMS-QQ-A-250/4 OR AMS 4037 OR ASTM B209
REF. DART SPEC M2024T3S.063
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: NONE
- 7) WEIGHT: 0.49 lbs
- 8) MAKE FROM D3211-1F_REV.B.DXF AND CHECK PER D3211-1T1

DESIGN	97	DART AEROSPACE LTD	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. PB1
MFG. APPR.		D3211	SHEET 2 OF 3
APPROVED		TITLE	SCALE
DE APPR.		BRACKET	NTS
DATE	11.06.06	COPYRIGHT © 2003 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			



D3211-1BF FLAT PATTERN

**PRELIMINARY
ISSUE** 11.06.07

- D3211-1BF NOTES:**
- 1) MATERIAL: 2024-T3 ALUMINUM SHEET, 0.063 THICK, PER QQ-A-250/4 OR AMS-QQ-A-250/4 OR AMS 4037 OR ASTM B209 REF. DART SPEC M2024T3S.063
 - 2) FINISH: NONE
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: NONE
 - 7) WEIGHT: 0.49 lbs
 - 8) MAKE FROM D3211-1BF_REVB.DXF AND CHECK CONTOURS PER D3211-1T1

DESIGN	92	DART AEROSPACE LTD	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. PB1
MFG. APPR.		D3211	SHEET 2 OF 3
APPROVED		TITLE	SCALE
DE APPR.		BRACKET	NTS
DATE	11.06.06	COPYRIGHT © 2003 BY DART AEROSPACE LTD	
		THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	